



SCG2229

EN	<u>EU DECLARATION OF CONFORMITY</u>
BG	<u>ЕС ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ</u>
ES	<u>DECLARACIÓN UE DE CONFORMIDAD</u>
CS	<u>EU PROHLÁŠENÍ O SHODĚ</u>
DA	<u>EU-OVERENSSTEMMELSEERKLÆRING</u>
DE	<u>EU-KONFORMITÄTSEKTLÄRUNG</u>
ET	<u>ELI VASTAVUSDEKLARATSIOON</u>
EL	<u>ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ</u>
FR	<u>DÉCLARATION UE DE CONFORMITÉ</u>
HR	<u>EU IZJAVA O SUKLADNOSTI</u>
IT	<u>DICHIARAZIONE DI CONFORMITÀ UE</u>
LV	<u>ES ATBILSTĪBAS DEKLARĀCIJA</u>
LT	<u>ES ATITIKTIES DEKLARACIJA</u>
HU	<u>EU-MEGFELELŐSÉGI NYILATKOZAT</u>
MT	<u>DIKJARAZZJONI TA' KONFORMITÀ TAL-UE</u>
NL	<u>EU-CONFORMITEITSVERKLARING</u>
PL	<u>DEKLARACJA ZGODNOŚCI UE</u>
PT	<u>DECLARAÇÃO UE DE CONFORMIDADE</u>
RO	<u>DECLARAȚIE UE DE CONFORMITATE</u>
SK	<u>EÚ VYHLÁSENIE O ZHODE</u>
SL	<u>IZJAVA EU O SKLADNOSTI</u>
FI	<u>EU-VAATIMUSTENMUKAISUUSVAKUUTUS</u>
SV	<u>EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE</u>

## EU DECLARATION OF CONFORMITY

### SCG2229 Mobile TETRA Terminal

**Manufacturer**

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment

References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Only applicable to radios with Bluetooth and Wi-Fi capability

\*\* Only applicable to radios with Wi-Fi capability

Description of accessories and components, including software, which allow the radio equipment to operate as intended and covered by the EU declaration of conformity:

Type	Part number	Description
Antenna	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
Console	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
Installation	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
	300-00217	Application interface unit (AIU)

Additional information:

Signed for and on behalf of: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK



## EU DECLARATION OF CONFORMITY

### Manufacturer

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Directives	Standards	Part number	Description
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad
		300-01815	SCC3 (IP67) Colour Console with Latin Keypad
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU DECLARATION OF CONFORMITY

Directives	Standards	Part number	Description
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		



## EU DECLARATION OF CONFORMITY

The objects of the declaration described above are in conformity with the relevant Union harmonisation legislation listed in the table.

The relevant harmonised standards used or other technical specifications in relation to which conformity is declared are also listed in the table.

### Additional information:

Signed for and on behalf of: Sepura Limited

A handwritten signature in blue ink, appearing to be "John Lewin", written over a horizontal line.

John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## ЕС ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ SCG2229 Мобилен TETRA терминал

### производителя

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Настоящата декларация за съответствие е издадена на отговорността на производителя:

Предметът на декларацията, описан по-горе, отговаря на съответното законодателство на Съюза за хармонизация:

Директива 2014/53/ЕС за хармонизирането на законодателствата на държавите членки във връзка с предоставянето на пазара на радиосъоръжения и за отмяна на Директива 1999/5/ЕО

Директива 2011/65/ЕС относно ограничението за употребата на определени опасни вещества в електрическото и електронното оборудване

Позоваване на използваните хармонизирани стандарти или позоваване на други технически спецификации, по отношение на които се декларира съответствие:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Приложимо само за радиостанции с възможност за Bluetooth и Wi-Fi

\*\* Приложимо само за радиа с Wi-Fi функционалност

описание на принадлежностите и компонентите, включително софтуер, които позволяват на радиосъоръжението да работи по предназначение и които са обхванати от ЕС декларацията за съответствие:

Тип	Номер на частта	Описание
Антенa	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
Конзола	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Инсталация	300-00217	Application interface unit (AIU)

Допълнителна информация:

Подписано за и от името на: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## ЕС ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ

### производителя

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Настоящата декларация за съответствие е издадена на отговорността на производителя:

Директиви	Стандарти	Номер на частта	Описание
2014/35/EC 2014/30/EC 2011/65/EC	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EC 2014/30/EC 2011/65/EC	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EC 2011/65/EC	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
		300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable
		360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
2011/65/EC	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m

## ЕС ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ

Директиви	Стандарти	Номер на частта	Описание
2011/65/EC	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## ЕС ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ

Директиви	Стандарти	Номер на частта	Описание
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

Обектите на декларацията, описани по-горе, са в съответствие със съответното законодателство на Съюза за хармонизация, посочено в таблицата.

Съответните използвани хармонизирани стандарти или други технически спецификации, по отношение на които е декларирано съответствие, също са изброени в таблицата.

### Допълнителна информация:

Подписано за и от името на: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## DECLARACIÓN UE DE CONFORMIDAD SCG2229 TETRA móvil

### Fabricante

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante.

El objeto de la declaración descrito anteriormente es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE relativa a la armonización de las legislaciones de los Estados miembros sobre la comercialización de equipos radioeléctricos, y por la que se deroga la Directiva 1999/5/CE

Directiva 2011/65/UE sobre restricciones a la utilización de determinadas sustancias peligrosas en aparatos eléctricos y electrónicos

Referencias a las normas armonizadas pertinentes utilizadas, o referencias a las otras especificaciones técnicas respecto a las cuales se declara la conformidad:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Solo aplicable a radios con capacidad Bluetooth y Wi-Fi

\*\* Sólo aplicable a radios con capacidad Wi-Fi

Descripción de los accesorios y los componentes, incluido el software, que permiten que el equipo radioeléctrico funcione como estaba previsto y esté amparado por la declaración UE de conformidad:

Tipo	Número de pieza	Descripción
Antena	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
Consola	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
Instalación	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
	300-00217	Application interface unit (AIU)

Información adicional:

Firmado en nombre de: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK



## DECLARACIÓN UE DE CONFORMIDAD

### Fabricante

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante.

Directivas	Estándares	Número de pieza	Descripción
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/UE 2011/65/UE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
		300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/UE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m

## DECLARACIÓN UE DE CONFORMIDAD

Directivas	Estándares	Número de pieza	Descripción
2011/65/UE	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## DECLARACIÓN UE DE CONFORMIDAD

Directivas	Estándares	Número de pieza	Descripción
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

Los objetos de la declaración descritos anteriormente son conformes con la legislación de armonización de la Unión pertinente que se enumera en la tabla.

En la tabla también se enumeran las normas armonizadas pertinentes utilizadas u otras especificaciones técnicas respecto de las cuales se declara la conformidad.

### Información adicional:

Firmado en nombre de: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU PROHLÁŠENÍ O SHODĚ SCG2229 Mobilní terminál TETRA

### Výrobce

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Toto prohlášení o shodě se vydává na výhradní odpovědnost výrobce.

Výše popsaný předmět prohlášení je ve shodě s příslušnými harmonizovanými právními předpisy Unie:

Směrnice 2014/53/EU o harmonizaci právních předpisů členských států týkajících se dodávání rádiových zařízení na trh a zrušení směrnice 1999/5/ES

Směrnice 2011/65/EU o omezení používání některých nebezpečných látek v elektrických a elektronických zařízeních

Odkazy na příslušné harmonizované normy, které byly použity, nebo na jiné technické specifikace, na jejichž základě se shoda prohlašuje:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Platí pouze pro rádia s Bluetooth a Wi-Fi

\*\* Platí pouze pro rádia s Wi-Fi schopností

popis příslušenství a součástí, včetně softwaru, které umožňují zamýšlené fungování rádiového zařízení v souladu s EU prohlášením o shodě:

Typ	Číslo dílu	Popis
Anténa	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable	
Řídicí panel	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat	
Instalace	300-00217	Application interface unit (AIU)

Další informace:

Podepsáno za a jménem: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## EU PROHLÁŠENÍ O SHODĚ

### Výrobce

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Toto prohlášení o shodě se vydává na výhradní odpovědnost výrobce.

směrnice	Normy	Číslo dílu	Popis
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad		
300-01815	SCC3 (IP67) Colour Console with Latin Keypad		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU PROHLÁŠENÍ O SHODĚ

směrnice	Normy	Číslo dílu	Popis
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## EU PROHLÁŠENÍ O SHODĚ

Výše popsané předměty prohlášení jsou v souladu s příslušnými harmonizačními právními předpisy Unie uvedenými v tabulce.

V tabulce jsou rovněž uvedeny příslušné použité harmonizované normy nebo jiné technické specifikace, ve vztahu k nimž se prohlašuje shoda.

### Další informace:

Podepsáno za a jménem: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU-OVERENSSTEMMELSESERKLÆRING SCG2229 Mobil TETRA Terminal

### Fabrikanten

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Denne overensstemmelseserklæring udstedes på fabrikantens ansvar.

Genstanden for erklæringen, som beskrevet ovenfor, er i overensstemmelse med den relevante EU-harmoniseringslovgivning:

Direktiv 2014/53/EU om harmonisering af medlemsstaternes love om tilgængeliggørelse af radioudstyr på markedet og om ophævelse af direktiv 1999/5/EF

Direktiv 2011/65/EU om begrænsning af anvendelsen af visse farlige stoffer i elektrisk og elektronisk udstyr

Referencer til de relevante anvendte harmoniserede standarder eller til de andre tekniske specifikationer, som der erklæres overensstemmelse med:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Gælder kun for radioer med Bluetooth og Wi-Fi-funktion

\*\* Kun gældende for radioer med Wi-Fi-funktionalitet

Beskrivelse af tilbehør og komponenter, herunder software, som får radioudstyret til at fungere efter hensigten og er dækket af EU-overensstemmelseserklæringen:

Type	Varenummer	Beskrivelse
Antenne	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
Konsol	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Installation	300-00217	Application interface unit (AIU)

Supplerende oplysninger:

Underskrevet for og på vegne af: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## EU-OVERENSSTEMMELSESERKLÆRING

### Fabrikanten

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Denne overensstemmelseserklæring udstedes på fabrikantens ansvar.

direktiver	Standarder	Varenummer	Beskrivelse
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad		
300-01815	SCC3 (IP67) Colour Console with Latin Keypad		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU-OVERENSSTEMMELSESERKLÆRING

direktiver	Standarder	Varenummer	Beskrivelse
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## EU-OVERENSSTEMMELSESERKLÆRING

Formålene med den ovenfor beskrevne erklæring er i overensstemmelse med den relevante EU-harmoniseringslovgivning anført i tabellen.

De relevante harmoniserede standarder, der er anvendt eller andre tekniske specifikationer, i forhold til hvilke overensstemmelse erklæres, er også anført i tabellen.

### Supplerende oplysninger:

Underskrevet for og på vegne af: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU-KONFORMITÄTSERKLÄRUNG SCG2229 TETRA Mobilgerät

### Herstellers

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU über die Harmonisierung der Rechtsvorschriften der Mitgliedstaaten über die Bereitstellung von Funkanlagen auf dem Markt und zur Aufhebung der Richtlinie 1999/5/EG

Richtlinie 2011/65/EU zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe in Elektro- und Elektronikgeräten

Angabe der einschlägigen harmonisierten Normen oder der anderen technischen Spezifikationen, die der Konformitätserklärung zugrunde gelegt wurden:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Gilt nur für Radios mit Bluetooth- und Wi-Fi-Funktion

\*\* Nur anwendbar auf Radios mit WLAN-Fähigkeit

Beschreibung des Zubehörs und der Bestandteile einschließlich Software, die den bestimmungsgemäßen Betrieb der Funkanlage ermöglichen und von der EU-Konformitätserklärung erfasst werden:

Typ	Teilenummer	Beschreibung
Antenne	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
Konsole	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
Installation	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
	300-00217	Application interface unit (AIU)

### Zusatzangaben

Unterzeichnet für und im Namen von: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

# EU-KONFORMITÄTSERKLÄRUNG

## Herstellers

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

Richtlinien	Standards	Teilenummer	Beschreibung
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad
		300-01815	SCC3 (IP67) Colour Console with Latin Keypad
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU-KONFORMITÄTSERKLÄRUNG

Richtlinien	Standards	Teilenummer	Beschreibung
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## EU-KONFORMITÄTSERKLÄRUNG

Die oben beschriebenen Gegenstände der Erklärung entsprechen den in der Tabelle aufgeführten relevanten Harmonisierungsrechtsvorschriften der Union.

Die jeweils verwendeten harmonisierten Normen oder sonstigen technischen Spezifikationen, zu denen die Konformität erklärt wird, sind ebenfalls in der Tabelle aufgeführt.

### Zusatzangaben

Unterzeichnet für und im Namen von: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## ELI VASTAVUSDEKLARATSIOON SCG2229 Mobiilne TETRA terminal

### Tootja

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Käesolev vastavusdeklaratsioon on välja antud tootja ainuvastutusel:

Ülalkirjeldatud deklareeritav toode on kooskõlas asjakohaste liidu ühtlustamisõigusaktidega:

Direktiiv 2014/53/EL raadioseadmete turul kättesaadavaks tegemist käsitlevate liikmesriikide õigusaktide ühtlustamise kohta ja millega tunnistatakse kehtetuks direktiiv 1999/5/EÜ

Direktiiv 2011/65/EL teatavate ohtlike ainete kasutamise piiramise kohta elektri- ja elektroonikaseadmetes

Viited kasutatud harmoneeritud standarditele või viited muudele tehnilistele spetsifikatsioonidele, millele vastavust deklareeritakse:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Kehtib ainult Bluetoothi ja Wi-Fi-funktsiooniga raadiotele

\*\* Kehtib ainult Wi-Fi funktsiooniga raadiote puhul.

Selliste tarvikute ja osade, samuti tarkvara kirjeldus, mis võimaldavad raadioseadet kasutada ettenähtud otstarbel ja kooskõlas ELi vastavusdeklaratsiooniga:

Tüüp	Osa number	Kirjeldus
Antenn	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
konsool	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Paigaldamine	300-00217	Application interface unit (AIU)

Lisateave:

Alla kirjutanud (kelle poolt ja nimel): Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## ELI VASTAVUSDEKLARATSIOON

### Tootja

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Käesolev vastavusdeklaratsioon on välja antud tootja ainuvastutusel:

direktiivid	Standardid	Osa number	Kirjeldus
2014/35/EL 2014/30/EL 2011/65/EL	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EL 2014/30/EL 2011/65/EL	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EL 2011/65/EL	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad		
300-01815	SCC3 (IP67) Colour Console with Latin Keypad		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EL	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
300-00533	Marine Antenna 380-400 MHz		

## ELI VASTAVUSDEKLARATSIOON

direktiivid	Standardid	Osa number	Kirjeldus
2011/65/EL	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## ELI VASTAVUSDEKLARATSIOON

Eespool kirjeldatud deklaratsiooni objektid on kooskõlas tabelis loetletud asjakohaste liidu ühtlustamisõigusaktidega.

Tabelis on loetletud ka asjakohased kasutatud harmoneeritud standardid või muud tehnilised spetsifikatsioonid, mille puhul vastavus deklareeritakse.

### Lisateave:

Alla kirjutanud (kelle poolt ja nimel): Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ SCG2229 Τερματικό κινητό TETRA

### κατασκευαστή

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Η παρούσα δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή.

Ο στόχος της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνα προς τη σχετική ενωσιακή νομοθεσία εναρμόνισης:

Οδηγία 2014/53/ΕΕ σχετικά με την εναρμόνιση των νομοθεσιών των κρατών μελών σχετικά με τη διαθεσιμότητα ραδιοεξοπλισμού στην αγορά και την κατάργηση της οδηγίας 1999/5/ΕΚ

Οδηγία 2011/65/ΕΕ για τον περιορισμό της χρήσης ορισμένων επικίνδυνων ουσιών σε ηλεκτρικό και ηλεκτρονικό εξοπλισμό

Παραπομπές στα σχετικά εναρμονισμένα πρότυπα που χρησιμοποιήθηκαν ή παραπομπές στις λοιπές τεχνικές προδιαγραφές σε σχέση με τις οποίες δηλώνεται η συμμόρφωση:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Ισχύει μόνο για ραδιόφωνα με δυνατότητα Bluetooth και Wi-Fi

\*\* Ισχύει μόνο για ραδιόφωνα με δυνατότητα Wi-Fi

περιγραφή των παρελκόμενων και εξαρτημάτων, συμπεριλαμβανομένου του λογισμικού, που επιτρέπουν στον ραδιοεξοπλισμό να λειτουργεί όπως προβλέπεται και που καλύπτονται από τη δήλωση συμμόρφωσης:

Τύπος	Αριθμός ανταλλακτικού	Περιγραφή
Κεραία	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
κονσόλα	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Εγκατάσταση	300-00217	Application interface unit (AIU)

Συμπληρωματικές πληροφορίες:

Υπογραφή για λογαριασμό και εξ ονόματος: Sepura Limited

John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

### ΚΑΤΑΣΚΕΥΑΣΤΗ

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Η παρούσα δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή.

Οδηγίες	Πρότυπα	Αριθμός ανταλλακτικού	Περιγραφή
2014/35/EE 2014/30/EE 2011/65/EE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EE 2014/30/EE 2011/65/EE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EE 2011/65/EE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m

## ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

Οδηγίες	Πρότυπα	Αριθμός ανταλλακτικού	Περιγραφή
2011/65/EE	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

Οδηγίες	Πρότυπα	Αριθμός ανταλλακτικού	Περιγραφή
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

Τα αντικείμενα της δήλωσης που περιγράφονται παραπάνω είναι σύμφωνα με τη σχετική ενωσιακή νομοθεσία εναρμόνισης που παρατίθεται στον πίνακα.

Τα σχετικά εναρμονισμένα πρότυπα που χρησιμοποιούνται ή άλλες τεχνικές προδιαγραφές σε σχέση με τις οποίες δηλώνεται η συμμόρφωση παρατίθενται επίσης στον πίνακα.

### Συμπληρωματικές πληροφορίες:

Υπογραφή για λογαριασμό και εξ ονόματος: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## DÉCLARATION UE DE CONFORMITÉ SCG2229 Radio mobile TETRA

### Fabricant

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant:

L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE relative à l'harmonisation des législations des États membres concernant la mise à disposition sur le marché d'équipements radioélectriques et abrogeant la directive 1999/5/CE

Directive 2011/65/UE relative à la limitation de l'utilisation de certaines substances dangereuses dans les équipements électriques et électroniques

Références des normes harmonisées pertinentes appliquées ou des autres spécifications techniques par rapport auxquelles la conformité est déclarée:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Applicable uniquement aux radios dotées de capacités Bluetooth et Wi-Fi

\*\* Applicable uniquement aux radios avec capacité Wi-Fi

Description des accessoires et éléments (y compris logiciels) qui permettent à l'équipement radioélectrique de fonctionner selon sa destination et sont couverts par la déclaration UE de conformité:

Taper	Référence	La description
Antenne	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
console	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Installation	300-00217	Application interface unit (AIU)

Informations complémentaires:

Signé par et au nom de: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## DÉCLARATION UE DE CONFORMITÉ

### Fabricant

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant:

Directives	Normes	Référence	La description
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/UE 2011/65/UE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/UE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## DÉCLARATION UE DE CONFORMITÉ

Directives	Normes	Référence	La description
2011/65/UE	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		



## DÉCLARATION UE DE CONFORMITÉ

Les objets de la déclaration décrits ci-dessus sont conformes à la législation d'harmonisation pertinente de l'Union répertoriée dans le tableau.

Les normes harmonisées pertinentes utilisées ou d'autres spécifications techniques par rapport auxquelles la conformité est déclarée sont également répertoriées dans le tableau.

### Informations complémentaires:

Signé par et au nom de: Sepura Limited

A handwritten signature in blue ink, appearing to be "John Lewin", with a long horizontal line extending to the right.

John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU IZJAVA O SUKLADNOSTI SCG2229 Mobilni TETRA terminal

### Proizvođača

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Za izdavanje ove izjave o sukladnosti odgovoran je isključivo proizvođač.

Prethodno opisani predmet izjave u skladu je s relevantnim zakonodavstvom Unije o usklađivanju:

Direktiva 2014/53/EU o usklađivanju zakonodavstava država članica o stavljanju na raspolaganje radijske opreme na tržištu i stavljanju izvan snage Direktive 1999/5/EZ

Direktiva 2011/65/EU o ograničenju uporabe određenih opasnih tvari u električnoj i elektroničkoj opremi

Pozivanja na relevantne primjenjene usklađene norme ili pozivanja na specifikacije u vezi s kojima se izjavljuje sukladnost:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Primjenjivo samo na radijske uređaje s Bluetooth i Wi-Fi mogućnošću

\*\* Primjenjuje se samo na radije s Wi-Fi mogućnošću

Opis dodatne opreme i sastavnica, uključujući softver, koji omogućuju normalan rad radijske opreme koji je obuhvaćen EU izjavom o sukladnosti:

Tip	Broj dijela	Opis
Antena	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable	
konzola	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Montaža	300-00217	Application interface unit (AIU)

Dodatne informacije:

Potpisano za i u ime: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## EU IZJAVA O SUKLADNOSTI

### Proizvođača

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Za izdavanje ove izjave o sukladnosti odgovoran je isključivo proizvođač.

direktive	Standardi	Broj dijela	Opis
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad		
300-01815	SCC3 (IP67) Colour Console with Latin Keypad		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU IZJAVA O SUKLADNOSTI

direktive	Standardi	Broj dijela	Opis
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## EU IZJAVA O SUKLADNOSTI

Gore opisani predmeti izjave u skladu su s relevantnim zakonodavstvom Unije za usklađivanje navedenim u tablici. Relevantne harmonizirane norme koje se koriste ili druge tehničke specifikacije u odnosu na koje se deklarira sukladnost također su navedene u tablici.

### Dodatne informacije:

Potpisano za i u ime: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## DICHIARAZIONE DI CONFORMITÀ UE SCG2229 TETRA Mobile

### Fabbricante

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante:

L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

Direttiva 2014/53/UE concernente l'armonizzazione delle legislazioni degli Stati membri relative alla messa a disposizione sul mercato di apparecchiature radio e che abroga la direttiva 1999/5/CE

Direttiva 2011/65/UE sulla restrizione dell'uso di determinate sostanze pericolose nelle apparecchiature elettriche ed elettroniche

Riferimento alle pertinenti norme armonizzate utilizzate o riferimenti alle altre specifiche tecniche in relazione alle quali è dichiarata la conformità:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Applicabile solo alle radio con funzionalità Bluetooth e Wi-Fi

\*\* Applicabile solo a radio con capacità Wi-Fi

Descrizione degli accessori e dei componenti, incluso il software, che consentono il funzionamento dell'apparecchiatura radio secondo i requisiti e la dichiarazione di conformità UE:

Tipo	Numero articolo	Descrizione
Antenna	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
console	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
Installazione	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
	300-00217	Application interface unit (AIU)

Informazioni supplementari:

Firmato a nome e per conto di: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## DICHIARAZIONE DI CONFORMITÀ UE

### Fabbricante

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante:

Direttive	Standard	Numero articolo	Descrizione
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/UE 2011/65/UE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
		300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable
		360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
2011/65/UE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m

## DICHIARAZIONE DI CONFORMITÀ UE

Direttive	Standard	Numero articolo	Descrizione
2011/65/UE	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## DICHIARAZIONE DI CONFORMITÀ UE

Direttive	Standard	Numero articolo	Descrizione
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

Gli oggetti della dichiarazione sopra descritti sono conformi alla pertinente normativa di armonizzazione dell'Unione elencata nella tabella.

Nella tabella sono inoltre elencate le relative norme armonizzate utilizzate o altre specifiche tecniche in relazione alle quali viene dichiarata la conformità.

### Informazioni supplementari:

Firmato a nome e per conto di: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## ES ATBILSTĪBAS DEKLARĀCIJA SCG2229 Mobilais TETRA terminālis

### Ražotāja

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Šī atbilstības deklarācija ir izdota vienīgi uz šāda ražotāja atbildību.

Iepriekš aprakstītais deklarācijas priekšmets atbilst attiecīgajam Savienības saskaņotajam tiesību aktam:

Direktīva 2014/53/ES par dalībvalstu tiesību aktu saskaņošanu attiecībā uz radioiekārtu pieejamību tirgū un ar ko atceļ Direktīvu 1999/5/EK

Direktīva 2011/65/ES par dažu bīstamu vielu izmantošanas ierobežošanu elektriskās un elektroniskās iekārtās

Atsauces uz attiecīgajiem izmantojamiem saskaņotajiem standartiem vai uz citām tehniskajām specifikācijām, attiecībā uz ko tiek deklarēta atbilstība:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Attiecas tikai uz radioaparātiem ar Bluetooth un Wi-Fi iespēju

\*\* Attiecas tikai uz radio ar Wi-Fi iespēju

Palīgierīču un komponentu apraksts, ieskaitot programmatūras aprakstu, kas nodrošina radioiekārtas paredzēto darbību un uz ko attiecas ES atbilstības deklarācija:

Tips	Daļas numurs	Apraksts
Antena	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable	
konsole	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat	
Uzstādīšana	300-00217	Application interface unit (AIU)

Papildinformācija:

Parakstīts šādas personas vārdā: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## ES ATBILSTĪBAS DEKLARĀCIJA

### Ražotāja

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Šī atbilstības deklarācija ir izdota vienīgi uz šāda ražotāja atbildību.

direktīvas	Standarti	Daļas numurs	Apraksts
2014/35/ES 2014/30/ES 2011/65/ES	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/ES 2014/30/ES 2011/65/ES	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/ES 2011/65/ES	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad		
300-01815	SCC3 (IP67) Colour Console with Latin Keypad		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/ES	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## ES ATBILSTĪBAS DEKLARĀCIJA

direktīvas	Standarti	Daļas numurs	Apraksts
2011/65/ES	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## ES ATBILSTĪBAS DEKLARĀCIJA

Iepriekš aprakstītie deklarācijas objekti atbilst attiecīgajiem Savienības saskaņošanas tiesību aktiem, kas uzskaitīti tabulā.

Tabulā ir uzskaitīti arī attiecīgie izmantotie saskaņotie standarti vai citas tehniskās specifikācijas, attiecībā uz kurām tiek deklarēta atbilstība.

### Papildinformācija:

Parakstīts šādas personas vārdā: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## ES ATITIKTIES DEKLARACIJA SCG2229 Mobilus TETRA terminalas

### Gamintojo

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Ši atitikties deklaracija išduota tik gamintojo atsakomybe.

Pirmiau aprašytas deklaracijos objektas atitinka susijusius derinamuosius Sąjungos teisės aktus:

Direktyva 2014/53/ES; dėl valstybių narių įstatymų, susijusių su radijo įrenginių tiekimu rinkai, suderinimo, kuria panaikinama Direktyva 1999/5/EB

Direktyva 2011/65/ES; dėl tam tikrų pavojingų medžiagų naudojimo elektros ir elektroninėje įrangoje apribojimo

Susijusių taikytų darnųjų standartų nuorodos arba kitų techninių specifikacijų, pagal kurias buvo deklaruota atitikties, nuorodos:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Taikoma tik radijo aparatams su Bluetooth ir Wi-Fi funkcija

\*\* Taikoma tik radijo imtuvams su Wi-Fi funkcija

Pagalbinių įtaisų ir komponentų, įskaitant programinę įrangą, kurie leidžia radijo įrenginiams veikti pagal paskirtį yra įtraukti į ES atitikties deklaraciją, aprašas:

Tipas	Dalies numeris	apibūdinimas
Antena	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
konsolė	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Montavimas	300-00217	Application interface unit (AIU)

Papildoma informacija:

Už ką ir kieno vardu pasirašyta: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## ES ATITIKTIES DEKLARACIJA

### Gamintojo

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Ši atitikties deklaracija išduota tik gamintojo atsakomybe.

direktyvas	Standartai	Dalies numeris	apibūdinimas
2014/35/ES 2014/30/ES 2011/65/ES	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/ES 2014/30/ES 2011/65/ES	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/ES 2011/65/ES	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/ES	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m

## ES ATITIKTIES DEKLARACIJA

direktyvas	Standartai	Dalies numeris	apibūdinimas
2011/65/ES	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## ES ATITIKTIES DEKLARACIJA

direktyvas	Standartai	Dalies numeris	apibūdinimas
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

Pirmiau aprašyti deklaracijos objektai atitinka atitinkamus derinamus Sąjungos teisės aktus, išvardytus lentelėje. Lentelėje taip pat pateikiami atitinkami naudojami darnieji standartai arba kitos techninės specifikacijos, kurių atitiktis deklaruojama.

### Papildoma informacija:

Už ką ir kieno vardu pasirašyta: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU-MEGFELELŐSÉGI NYILATKOZAT SCG2229 Mobil TETRA terminál

### Gyártó

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Ezt a megfelelőségi nyilatkozatot a gyártó kizárólagos felelőssége mellett adják ki:

A fent ismertetett nyilatkozat tárgya megfelel a vonatkozó uniós harmonizációs jogszabályoknak:

2014/34/EU irányelve, a rádióberendezések forgalmazására vonatkozó tagállami jogszabályok harmonizációjáról és az 1999/5/EK irányelv hatályon kívül helyezéséről

2011/65/EU irányelve, egyes veszélyes anyagok elektromos és elektronikus berendezésekben való alkalmazásának korlátozásáról

Az alkalmazott harmonizált szabványokra való hivatkozás vagy az azokra az egyéb műszaki leírásokra való hivatkozás, amelyekkel kapcsolatban megfelelőségi nyilatkozatot tettek:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Csak Bluetooth és Wi-Fi képességgel rendelkező rádiókra vonatkozik

\*\* Csak a Wi-Fi képességgel rendelkező rádiók esetében érvényes.

Tartozékok és alkatrészek leírása, ideértve a rádióberendezés rendeltetésszerű használatát lehetővé tévő és az EU-megfelelőségi nyilatkozat hatályába tartozó szoftvereket is:

típus	Cikkszám	Leírás
Antenna	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
konzol	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Telepítés	300-00217	Application interface unit (AIU)

További információk:

A nyilatkozatot az alábbi nevében és megbízásából írták alá: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## EU-MEGFELELŐSÉGI NYILATKOZAT

### Gyártó

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Ezt a megfelelőségi nyilatkozatot a gyártó kizárólagos felelőssége mellett adják ki:

irányelvek	Szabványok	Cikkszám	Leírás
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat		
300-01815	SCC3 (IP67) Colour Console with Latin Keymat		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU-MEGFELELŐSÉGI NYILATKOZAT

irányelvek	Szabványok	Cikkszám	Leírás
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## EU-MEGFELELŐSÉGI NYILATKOZAT

A nyilatkozat fent leírt tárgyai megfelelnek a táblázatban felsorolt vonatkozó uniós harmonizációs jogszabályoknak.  
A táblázat felsorolja azokat a vonatkozó harmonizált szabványokat vagy egyéb műszaki előírásokat, amelyekre vonatkozóan a megfelelőséget kijelentik.

### További információk:

A nyilatkozatot az alábbi nevében és megbízásából írták alá: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## DIKJARAZZJONI TA' KONFORMITÀ TAL-UE SCG2229 Terminal mobbli TETRA

### Tal-manifattur

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Din id-dikjarazzjoni tal-konformità tinfa'g ta' ir-responsabbiltà unika tal-manifattur.

L-għan tad-dikjarazzjoni deskritt hawn fuq huwa konformi mal-leġiżlazzjoni ta' armonizzazzjoni rilevanti tal-Unjon:

Direttiva 2014/53/UE dwar l-armonizzazzjoni tal-liġijiet tal-Istati Membri marbuta mat-tqeghid fis-suq ta' tagħmir tar-radju u li tħassar id-Direttiva 1999/5/KE

Direttiva 2011/65/UE dwar ir-restrizzjoni tal-użu ta' ċerti sustanzi perikolużi fit-tagħmir elettriku u elettroniku

Ir-referenzi għall-istandards armonizzati rilevanti li ntużaw, jew ir-referenzi għall-ispeċifikazzjonijiet tekniċi l-oħra li skonthom qed tiġi ddikjarata l-konformità:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Applikabbli biss għal radjijiet b'kapaċità Bluetooth u Wi-Fi

\*\* Applikabbli biss għal radjijiet b'kapaċità Wi-Fi

Deskrizzjoni tal-aċċessorji u il-komponenti, inkluż is-software, li jippermettu t-tagħmir tar-radju jopera kif intiz u koperti mid-dikjarazzjoni tal-konformità tal-UE:

Tip	Numru tal-parti	Deskrizzjoni
Antenna	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
console	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Installazzjoni	300-00217	Application interface unit (AIU)

Informazzjoni addizzjonali:

Iffirmat għal u f'isem: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## DIKJARAZZJONI TA' KONFORMITÀ TAL-UE

### Tal-manifattur

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Din id-dikjarazzjoni tal-konformità tinħareg taħt ir-responsabbiltà unika tal-manifattur.

Direttivi	Standards	Numru tal-parti	Deskrizzjoni
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/UE 2011/65/UE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/UE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
300-00488	AIU to RCU adaptor cable, 5 m		

## DIKJARAZZJONI TA' KONFORMITÀ TAL-UE

Direttivi	Standards	Numru tal-parti	Deskrizzjoni
2011/65/UE	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## DIKJARAZZJONI TA' KONFORMITÀ TAL-UE

Direttivi	Standards	Numru tal-parti	Deskrizzjoni
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

L-oġġetti tad-dikjarazzjoni deskritti hawn fuq huma f'konformità mal-leġiżlazzjoni ta' armonizzazzjoni rilevanti tal-Unjoni elenkata fit-tabella.

L-istandards armonizzati rilevanti użati jew speċifikazzjonijiet tekniċi oħra li fir-rigward tagħhom hija ddikjarata l-konformità huma wkoll elenkati fit-tabella.

### Informazzjoni addizzjonali:

Iffirmat għal u f'isem: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU-CONFORMITEITSVERKLARING SCG2229 TETRA mobiel apparaat

### Fabrikant

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Deze conformiteitsverklaring wordt afgegeven onder volledige verantwoordelijkheid van de fabrikant.

Het hierboven beschreven voorwerp van de verklaring is in overeenstemming met de desbetreffende harmonisatiewetgeving van de Unie:

Richtlijn 2014/53/EU; betreffende de harmonisatie van de wetgevingen van de lidstaten inzake het op de markt aanbieden van radioapparatuur en tot intrekking van Richtlijn 1999/5/EG

Richtlijn 2011/65/EU; betreffende beperking van het gebruik van bepaalde gevaarlijke stoffen in elektrische en elektronische apparatuur

Vermelding van de toegepaste relevante geharmoniseerde normen of van de overige technische specificaties waarop de conformiteitsverklaring betrekking heeft:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Alleen van toepassing op radio's met Bluetooth- en Wi-Fi-mogelijkheden

\*\* Alleen van toepassing op radio's met Wi-Fi-functionaliteit

Beschrijvingen van accessoires en componenten, inclusief software, die de radioapparatuur als beoogd laten functioneren en die onder de EU-conformiteitsverklaring vallen:

Type	Onderdeelnummer	Beschrijving
Antenne	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
troosten	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
Installatie	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
	300-00217	Application interface unit (AIU)

Aanvullende informatie:

Ondertekend voor en namens: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK



## EU-CONFORMITEITSVERKLARING

### Fabrikant

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Deze conformiteitsverklaring wordt afgegeven onder volledige verantwoordelijkheid van de fabrikant.

Richtlijnen	Normen	Onderdeelnummer	Beschrijving
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
		300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m

## EU-CONFORMITEITSVERKLARING

Richtlijnen	Normen	Onderdeelnummer	Beschrijving
2011/65/EU	EN IEC 63000:2018	300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## EU-CONFORMITEITSVERKLARING

Richtlijnen	Normen	Onderdeelnummer	Beschrijving
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

De hierboven beschreven voorwerpen van de verklaring zijn in overeenstemming met de relevante harmonisatiewetgeving van de Unie, vermeld in de tabel.

De relevante geharmoniseerde normen die worden gebruikt of andere technische specificaties waarvoor conformiteit wordt verklaard, worden ook in de tabel vermeld.

### Aanvullende informatie:

Ondertekend voor en namens: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## DEKLARACJA ZGODNOŚCI UE SCG2229 Mobilny terminal TETRA

### Producenta

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.

Wymieniony powyżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

dyrektywa 2014/53/UE, w sprawie harmonizacji ustawodawstw państw członkowskich dotyczących udostępniania na rynku urządzeń radiowych i uchylająca dyrektywę 1999/5/WE

dyrektywa 2011/65/UE, w sprawie ograniczenia stosowania niektórych niebezpiecznych substancji w sprzęcie elektrycznym i elektronicznym

Odniesienia do odnośnych norm zharmonizowanych, które zastosowano, lub do innych specyfikacji technicznych, w stosunku do których deklarowana jest zgodność:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Dotyczy tylko radiotelefonów z funkcją Bluetooth i Wi-Fi

\*\* Dotyczy tylko radii z funkcją Wi-Fi

Opis elementów dodatkowych lub komponentów, w tym oprogramowania, które umożliwiają działanie urządzenia radiowego zgodnie z przeznaczeniem i które są objęte deklaracją zgodności UE:

Typ	Numer części	Opis
Antena	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
konsola	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Instalacja	300-00217	Application interface unit (AIU)

Informacje dodatkowe:

Podpisano w imieniu: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## DEKLARACJA ZGODNOŚCI UE

### Producenta

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.

Dyrektywy	Standardy	Numer części	Opis
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/UE 2011/65/UE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad
300-01815	SCC3 (IP67) Colour Console with Latin Keypad		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/UE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
300-00533	Marine Antenna 380-400 MHz		

## DEKLARACJA ZGODNOŚCI UE

Dyrektywy	Standardy	Numer części	Opis
2011/65/UE	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## DEKLARACJA ZGODNOŚCI UE

Przedmioty deklaracji opisane powyżej są zgodne z odpowiednimi unijnymi przepisami harmonizacyjnymi wymienionymi w tabeli.

W tabeli wymieniono również odpowiednie zastosowane normy zharmonizowane lub inne specyfikacje techniczne, w odniesieniu do których deklarowana jest zgodność.

### Informacje dodatkowe:

Podpisano w imieniu: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## DECLARAÇÃO UE DE CONFORMIDADE SCG2229 Dispositivo Móvel TETRA

### Fabricante

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante.

O objeto da declaração acima mencionada está em conformidade com a legislação de harmonização da União aplicável:

Diretiva 2014/53/UE; relativa à harmonização da legislação dos Estados-Membros respeitante à disponibilização de equipamentos de rádio no mercado e que revoga a Diretiva 1999/5/CE

Diretiva 2011/65/UE; relativa à restrição do uso de determinadas substâncias perigosas em equipamentos eléctricos e electrónicos

Referências às normas harmonizadas aplicáveis utilizadas ou às outras especificações técnicas em relação às quais é declarada a conformidade:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Aplicável apenas a rádios com capacidade Bluetooth e Wi-Fi

\*\* Apenas aplicável a rádios com capacidade Wi-Fi

Descrição de acessórios e componentes, incluindo softwares, que permitem que o equipamento de rádio funcione conforme o esperado e seja coberto pela declaração de conformidade da UE:

Tipo	Número da peça	Descrição
Antena	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable	
console	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Instalação	300-00217	Application interface unit (AIU)

Informações complementares:

Assinado por e em nome de: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

# DECLARAÇÃO UE DE CONFORMIDADE

## Fabricante

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante.

Diretivas	Padrões	Número da peça	Descrição
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/UE 2011/65/UE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/UE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m

## DECLARAÇÃO UE DE CONFORMIDADE

Diretivas	Padrões	Número da peça	Descrição
2011/65/UE	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## DECLARAÇÃO UE DE CONFORMIDADE

Diretivas	Padrões	Número da peça	Descrição
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

Os objetos da declaração acima descritos estão em conformidade com a legislação de harmonização relevante da União listada na tabela.

As normas harmonizadas relevantes utilizadas ou outras especificações técnicas em relação às quais a conformidade é declarada também estão listadas na tabela.

### Informações complementares:

Assinado por e em nome de: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## DECLARAȚIE UE DE CONFORMITATE SCG2229 Terminal TETRA mobil

### Producătorului

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Prezenta declarație de conformitate este emisă pe răspunderea exclusivă a producătorului.

Obiectul declarației descris mai sus este în conformitate cu legislația relevantă de armonizare a Uniunii:

Directiva 2014/53/UE privind armonizarea legislației statelor membre referitoare la punerea la dispoziție pe piață a echipamentelor radio și de abrogare a Directivei 1999/5/CE

Directiva 2011/65/UE privind restricțiile de utilizare a anumitor substanțe periculoase în echipamentele electrice și electronice

Trimiteri la standardele armonizate relevante folosite sau trimiteri la celelalte specificații tehnice în legătură cu care se declară conformitatea:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Se aplică numai radiourilor cu Bluetooth și capacitate Wi-Fi

\*\* Se aplică doar radiourilor cu capacitate Wi-Fi

Descriere a accesoriilor și componentelor, inclusiv a produselor software, care permit echipamentelor radio să funcționeze corespunzător și care sunt incluse în declarația de conformitate:

Tip	Numărul piesei	Descriere
Antenă	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable	
consolă	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat	
Instalare	300-00217	Application interface unit (AIU)

Informații suplimentare:

Semnat pentru și în numele: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## DECLARAȚIE UE DE CONFORMITATE

### Producătorului

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Prezenta declarație de conformitate este emisă pe răspunderea exclusivă a producătorului.

Directive	Standarde	Numărul piesei	Descriere
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/UE 2014/30/UE 2011/65/UE	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/UE 2011/65/UE	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
		300-01815	SCC3 (IP67) Colour Console with Latin Keymat
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
		300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/UE	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m

## DECLARAȚIE UE DE CONFORMITATE

Directive	Standarde	Numărul piesei	Descriere
2011/65/UE	EN IEC 63000:2018	300-00533	Marine Antenna 380-400 MHz
		300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain		
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		

## DECLARAȚIE UE DE CONFORMITATE

Directive	Standarde	Numărul piesei	Descriere
		9525-800- 41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable

Obiectele declarației descrise mai sus sunt în conformitate cu legislația relevantă de armonizare a Uniunii enumerată în tabel.

Standardele armonizate relevante utilizate sau alte specificații tehnice în legătură cu care se declară conformitatea sunt, de asemenea, enumerate în tabel.

### Informații suplimentare:

Semnat pentru și în numele: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EÚ VYHLÁSENIE O ZHODE SCG2229 Mobilný terminál TETRA

### Výrobca

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Toto vyhlásenie o zhode sa vydáva na výhradnú zodpovednosť výrobcu.

Uvedený predmet vyhlásenia je v zhode s príslušnými harmonizačnými právnymi predpismi Únie:

Smernica 2014/53/EÚ o harmonizácii právnych predpisov členských štátov týkajúcich sa sprístupňovania rádiových zariadení na trhu, ktorou sa zrušuje smernica 1999/5/ES

Smernica 2011/65/EÚ o obmedzení používania určitých nebezpečných látok v elektrických a elektronických zariadeniach

Odkazy na príslušné použité harmonizované normy alebo odkazy na iné technické špecifikácie, v súvislosti s ktorými sa zhoda vyhlasuje:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Platí len pre rádiá s Bluetooth a Wi-Fi

\*\* Platí len pre rádiá s možnosťou Wi-Fi

Opis príslušenstva a komponentov vrátane softvéru, ktoré umožňujú rádiovému zariadeniu fungovať v súlade so zamýšľaným účelom, a na ktoré sa vzťahuje EÚ vyhlásenie o zhode:

Typ	Číslo dielu	Popis
Anténa	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
konzola	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Inštalácia	300-00217	Application interface unit (AIU)

Doplňujúce informácie:

Podpísané za a v mene: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## EÚ VYHLÁSENIE O ZHODE

### Výrobca

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Toto vyhlásenie o zhode sa vydáva na výhradnú zodpovednosť výrobcu.

smernice	Normy	Číslo dielu	Popis
2014/35/EÚ 2014/30/EÚ 2011/65/EÚ	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EÚ 2014/30/EÚ 2011/65/EÚ	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EÚ 2011/65/EÚ	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad
300-01815	SCC3 (IP67) Colour Console with Latin Keypad		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EÚ	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EÚ VYHLÁSENIE O ZHODE

smernice	Normy	Číslo dielu	Popis
2011/65/EÚ	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
		9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable



## EÚ VYHLÁSENIE O ZHODE

Predmety vyššie uvedeného vyhlásenia sú v súlade s príslušnými harmonizačnými právnymi predpismi Únie uvedenými v tabuľke.

V tabuľke sú uvedené aj príslušné použité harmonizované normy alebo iné technické špecifikácie, v súvislosti s ktorými sa vyhlasuje zhoda.

### Doplňujúce informácie:

Podpísané za a v mene: Sepura Limited

A handwritten signature in blue ink, appearing to be "John Lewin", with a long horizontal line extending to the right.

John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## IZJAVA EU O SKLADNOSTI SCG2229 Mobilni TETRA terminal

### Proizvajalca

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Za izdajo te izjave o skladnosti je odgovoren izključno proizvajalec.

Predmet navedene izjave je v skladu z ustrezno zakonodajo Unije o harmonizaciji:

Direktiva 2014/53/EU o harmonizaciji zakonodaj držav članic v zvezi z dostopnostjo radijske opreme na trgu in razveljavitvi Direktive 1999/5/ES

Direktiva 2011/65/EU o omejevanju uporabe nekaterih nevarnih snovi v električni in elektronski opremi

Sklicevanja na uporabljene ustrezne harmonizirane standarde ali sklicevanja na druge tehnične specifikacije v zvezi s skladnostjo, ki je navedena v izjavi:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Velja samo za radie z zmožnostjo Bluetooth in Wi-Fi

\*\* To velja samo za radia z možnostjo Wi-Fi

Opise dodatne opreme in komponent, vključno s programsko opremo, ki zagotavljajo namensko delovanje radijske opreme in so zajeti v izjavi EU o skladnosti:

Vrsta	Številka dela	Opis
Antena	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable	
konzola	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Nameditev	300-00217	Application interface unit (AIU)

Dodatne informacije:

Podpisano za in v imenu: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## IZJAVA EU O SKLADNOSTI

### Proizvajalca

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Za izdajo te izjave o skladnosti je odgovoren izključno proizvajalec.

direktive	Standardi	Številka dela	Opis
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat		
300-01815	SCC3 (IP67) Colour Console with Latin Keymat		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## IZJAVA EU O SKLADNOSTI

direktive	Standardi	Številka dela	Opis
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		



## IZJAVA EU O SKLADNOSTI

Predmeti zgoraj opisane izjave so v skladu z ustrežno harmonizacijsko zakonodajo Unije, navedeno v tabeli.

V tabeli so navedeni tudi ustrezni uporabljeni harmonizirani standardi ali druge tehnične specifikacije, v zvezi s katerimi je deklarirana skladnost.

### Dodatne informacije:

Podpisano za in v imenu: Sepura Limited

A handwritten signature in blue ink, appearing to be "John Lewin", with a long horizontal line extending to the right.

John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU-VAATIMUSTENMUKAISUUSVAKUUTUS SCG2229 Mobiili TETRA-pääte

### Valmistajan

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Tämä vaatimustenmukaisuusvakuutus on annettu valmistajan yksinomaisella vastuulla.

Edellä kuvattu vakuutuksen kohde on asiaa koskevan unionin yhdenmukaistamislainsäädännön vaatimusten mukainen:

Direktiivi 2014/53/EU radiolaitteiden asettamista saataville markkinoilla koskevan jäsenvaltioiden lainsäädännön yhdenmukaistamisesta ja direktiivin 1999/5/EY kumoamisesta

Direktiivi 2011/65/EU tiettyjen vaarallisten aineiden käytön rajoittamisesta sähkö- ja elektroniikkalaitteissa

Viittaus niihin asiaa koskeviin yhdenmukaistettuihin standardeihin, joita on käytetty, tai viittaus muihin teknisiin eritelmiin, joiden perusteella vaatimustenmukaisuusvakuutus on annettu:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Koskee vain radioita, joissa on Bluetooth- ja Wi-Fi-ominaisuus

\*\* Koskee vain Wi-Fi-toiminnolla varustettuja radion.

Kuvaus lisälaitteista ja osista, myös ohjelmistoista, jotka mahdollistavat radiolaitteen käyttötarkoituksen mukaisen käytön ja jotka EU-vaatimustenmukaisuusvakuutus kattaa:

Tyyppi	Osa numero	Kuvaus
Antenni	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
konsoli	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Asennus	300-00217	Application interface unit (AIU)

Lisätietoja:

puolesta allekirjoittanut: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

## EU-VAATIMUSTENMUKAISUUSVAKUUTUS

### Valmistajan

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Tämä vaatimustenmukaisuusvakuutus on annettu valmistajan yksinomaisella vastuulla.

direktiivit	Standardit	Osa numero	Kuvaus
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keymat
300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat		
300-01815	SCC3 (IP67) Colour Console with Latin Keymat		
300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat		
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU-VAATIMUSTENMUKAISUUSVAKUUTUS

direktiivit	Standardit	Osa numero	Kuvaus
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		

## EU-VAATIMUSTENMUKAISUUSVAKUUTUS

Edellä kuvatun vakuutuksen kohteet ovat taulukossa lueteltujen asiaankuuluvien unionin yhdenmukaistamislainsäädännön mukaisia.

Taulukossa on myös lueteltu käytetyt yhdenmukaistetut standardit tai muut tekniset eritelmät, joiden osalta vaatimustenmukaisuus vakuutetaan.

### Lisätietoja:

puolesta allekirjoittanut: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom

## EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE SCG2229 Mobil TETRA-terminal

### Tillverkaren

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Denna försäkran om överensstämmelse utfärdas på tillverkarens eget ansvar.

Föremålet för försäkran ovan överensstämmer med den relevanta unionslagstiftningen om harmonisering:

Direktiv 2014/53/EU om harmonisering av medlemsstaternas lagstiftning om tillhandahållande på marknaden av radioutrustning och om upphävande av direktiv 1999/5/EG

Direktiv 2011/65/EU om begränsning av användning av vissa farliga ämnen i elektrisk och elektronisk utrustning

Hänvisningar till de relevanta harmoniserade standarder som använts eller hänvisningar till de andra tekniska specifikationer enligt vilka överensstämmelsen försäkras:

EN IEC 62368-1:2020+A11:2020	EN 301 489-1 V2.2.3 (2019-11)	EN 301 489-5 V2.2.1 (2019-04)
*Final draft ETSI EN 301 489-17 V3.3.0 (2024-07)	EN 301 489-19 V2.2.1 (2022-09)	EN 303 758 V1.1.1 (2021-07)
EN 303 413 V1.2.1 (2021-04)	*EN 300 328 V2.2.2 (2019-07)	EN IEC 62311:2020
EN IEC 63000:2018	**EN 18031-1:2024	**EN 18031-2:2024

\* Gäller endast radioapparater med Bluetooth- och Wi-Fi-kapacitet

\*\* Endast tillämpligt på radioapparater med Wi-Fi-funktionalitet

Beskrivning av tillbehör och komponenter, inklusive programvara, som gör det möjligt för radioutrustningen att fungera som avsett och som täcks av en EU-försäkran om överensstämmelse:

Typ	Artikelnummer	Beskrivning
Antenn	300-00063	GPS antenna mag mount, 6 m cable, SMC connector
	300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
	310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi
	320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
	330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
	390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
	390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
trösta	300-01801	HBC3 Handset Based Console - Latin
	300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
	300-01808	SCC3 Colour Console with Latin Keymat
	300-01813	SCC3 Colour Console Macedonian Cyrillic Keymat
	300-01815	SCC3 (IP67) Colour Console with Latin Keymat
	300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keymat
Installation	300-00217	Application interface unit (AIU)

Ytterligare information:

Undertecknat för: Sepura Limited



John Lewin  
Chief Operating Officer

24 October 2025  
Building 9000, CB25 9TL, UK

# EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

## Tillverkaren

Sepura Limited, 9000 Cambridge Research Park, Beach Drive, Waterbeach, Cambridge, CB25 9TL, United Kingdom.

Denna försäkran om överensstämmelse utfärdas på tillverkarens eget ansvar.

direktiv	Standarder	Artikelnummer	Beskrivning
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2020 + A11:2020 EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00073	Desk Mount Unit
2014/35/EU 2014/30/EU 2011/65/EU	EN 62368-1:2014 EN 301 489-1 V1.9.2 (2011-09) EN IEC 63000:2018	300-00077	Switching Power Supply
2014/30/EU 2011/65/EU	EN 301 489-1 V2.2.3 (2019-11) EN IEC 63000:2018	300-00062	Fist Microphone
		300-00063	GPS antenna mag mount, 6 m cable, SMC connector
		300-00074	DMU Desk Mic with PTT
		300-00079	Hands-free kit (console)
		300-00085	Hands-free kit (AIU)
		300-00217	Application interface unit (AIU)
		300-00292	Remote Microphone (Handsfree Kit) 3m (Hirose)
		300-00294	Remote Microphone (Handsfree Kit) 5m (Hirose)
		300-00378	Mouse-style Microphone, 3 m cable
		300-00393	GPS antenna bolt mount, 30 cm cable, SMC connector
		300-00478	Fist Microphone Detachable
		300-00530	Marine Antenna 380-400 MHz with GPS
		300-00531	Marine Antenna 410-430 MHz with GPS
		300-00598	410-430 MHz Flexi whip/GPS vehicle antenna, 5 m lead, 7 dBi gain
		300-00670	HBC Interface Box
		300-00706	Handsfree Microphone - 3m lead
		300-00715	Remote SIM reader
		300-00716	Remote SIM key fob
		300-00722	Colour Console Speaker Microphone (VAC connector)
		300-01172	410-430 MHz Flexi whip/GPS vehicle antenna, (5 dBi gain), 5 m cable
		300-01801	HBC3 Handset Based Console - Latin
		300-01807	HBC3 Handset Based Console - Macedonian Cyrillic
		300-01808	SCC3 Colour Console with Latin Keypad
		300-01813	SCC3 Colour Console Macedonian Cyrillic Keypad
		300-01815	SCC3 (IP67) Colour Console with Latin Keypad
		300-01820	SCC3 (IP67) Colour Console with Macedonian Cyrillic Keypad
300-01927	Antenna Kit 420-456 MHz Flexi whip/GPS vehicle antenna, (2dBi gain), 5 m cable		
360-00001	380-430 MHz Flexi-whip/GPS vehicle antenna, 5 m cable, 2 dBi		
2011/65/EU	EN IEC 63000:2018	300-00066	Power Lead Assembly, 5 m lead
		300-00067	Remote Console Cable 0.5 m
		300-00068	Remote Console Cable 2 m
		300-00069	Remote Console Cable 5 m
		300-00070	Remote Console Cable 10 m
		300-00076	Footswitch PTT
		300-00082	Loudspeaker Extension Lead 5 m
		300-00203	Curly lead extension cable for console
		300-00209	SRG Series Switchover box Type B (1 relay)
		300-00210	Seat Inductive loop assembly
		300-00219	AIU to RCU adaptor cable, 1 m
		300-00220	Interface lead - AIU Jack to Molex
		300-00221	Console Interface Box
		300-00229	PTT switch on long flexi-stalk
		300-00230	PTT switch on long flexi-stalk
		300-00293	PTT switch, 3 m lead
		300-00295	PTT switch, 5 m lead
		300-00319	PTT switch, 3 m lead
		300-00375	AIU to RCU adaptor cable, 2 m
		300-00479	Fist microphone extension cable, 3 m
		300-00488	AIU to RCU adaptor cable, 5 m
		300-00533	Marine Antenna 380-400 MHz

## EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

direktiv	Standarder	Artikelnummer	Beskrivning
2011/65/EU	EN IEC 63000:2018	300-00588	Virtual Console Cable
		300-00620	380-400 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-00664	Remote Console Cable 3 m
		300-00665	Remote Console Cable 7 m
		300-00666	Remote Console Cable 12 m
		300-00719	Low-profile loudspeaker
		300-00743	Dedicated data cable, 150 cm
		300-00744	Dedicated data cable, 15 cm
		300-00774	SRG Series IP67 Remote Control Cable 3 m
		300-00895	Remote console cable, 20 m
		300-00896	Remote console cable, 15 m
		300-00897	Remote console cable, 30 m
		300-00934	Vehicle Roof Inductive Loop Assembly
		300-00976	450-500 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		300-01035	410-430 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01040	Whip Antenna 410-430 MHz, 5 dBi
		300-01047	SCC2 Half marine remote console cable 4.5 m
		300-01049	SCC2 Half marine remote console cable 9.5 m
		300-01050	SCC2 Half marine remote console cable 1.5 m
		300-01111	Antenna 5 m extension co-axial cable
		300-01112	AFB-S2, 2 dBi gain
		300-01113	Antenna 6 m extension GPS lead
		300-01837	Heavy duty Loudspeaker
		300-01891	Heavy-duty footswitch (3.5 mm jack)
		300-01893	Heavy-duty footswitch (hirose connector)
		300-01925	420-456 MHz Offset Dipole (1/2 wave) Antenna, BNC connector, 8 m lead, 0 dBd gain
		300-01928	420-456 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		300-02007	Adapter Lead for SCG22
		300-02009	SCG USB Programming Lead
		300-02010	SCG Power / Ignition Lead
		300-02011	SCG Loudspeaker / IO Lead
		300-02012	SCG Loudspeaker / IO USB Host Lead
		300-02013	SCG Loudspeaker / IO USB Slave Lead
		300-02014	SCG Expansion Board Loudspeaker / 8 GPIO lead
		300-02016	SCG DMU Cables Kit
		300-02050	SCG22 Local Console Adapter Kit
		310-00006	Antenna Kit 380-430 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		310-00007	Antenna Kit 380-410 MHz High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		310-00011	Antenna 380-430 MHz 1/4 wave UHF (2 dBi) Hinged
		310-00012	Antenna 380-410 MHz High Gain UHF (7 dBi) Hinged
		320-00008	Antenna Kit 400-430 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		320-00013	Antenna 400-430 MHz High Gain UHF (7 dBi) Hinged
		330-00009	Antenna Kit 430-472 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable
		330-00010	Antenna Kit 430-472 MHz, High Gain UHF (7 dBi), M8 standard mount with 5 m cable
		330-00014	Antenna 430-472 MHz, 1/4 wave UHF (2 dBi) Hinged
		330-00015	Antenna 430-472 MHz High Gain UHF (7 dBi) Hinged
		390-00004	380-430 MHz Fixed building fibre glass antenna, 15 m RG213 lead, 2.15 dBi gain
		390-00005	Antenna Kit 380-430 MHz Flexi whip vehicle antenna, (2 dBi gain), 5 m cable
		390-00006	Antenna Kit 380-430 MHz Flexi whip mag-mount vehicle antenna, (2 dBi gain), 5 m cable
		390-00007	380-430MHz Base Station antenna, (1/4 whip with 3 ground plane stubs) 15 m CS23 lead, 2.15 dBi gain
9525-800-41079	Antenna Kit 450-470 MHz, 1/4 wave UHF (2 dBi), M8 standard mount with 5 m cable		
9525-800-41080	Antenna Kit 450-470 MHz, 5/8 wave UHF (7 dBi), M8 standard mount with 5m cable		



## EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

Föremålen för förklaringen som beskrivs ovan är i överensstämmelse med relevant unionslagstiftning om harmonisering som anges i tabellen.

De relevanta harmoniserade standarder som används eller andra tekniska specifikationer för vilka överensstämmelse deklarerats är också listade i tabellen.

### Ytterligare information:

Undertecknat för: Sepura Limited

A handwritten signature in blue ink, appearing to be "John Lewin", with a long horizontal line extending to the right.

John Lewin  
Chief Operating Officer

24 October 2025  
Cambridge, United Kingdom